Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Dyes and Pigments 64 (2005) I–II
DYES and PIGMENTS
www.elsevier.com/locate/dyepig

Contents of Volume 64

Number 1

1 Micellar effects and reactant incorporation in reduction of toluidine blue by ascorbic acid
B. ARIKAN & M. TUNÇAY (Turkey)

9 Reactive dyeing properties of novel regenerated cellulosic fibres
J. KOH, I.S. KIM, S.S. KIM, W.S. SHIM & J.P. KIM (South Korea)

17 Alkali-hydrolysis kinetics of alkali-clearable azo disperse dyes containing a fluorosulphonyl group and their fastness properties on PET/cotton blends
J. KOH (South Korea)

25 The synthesis and properties of asymmetrically substituted 4,4′-bis(1,3,5-triazin-6-yl)diaminostilbene-2,2′-disulfonic acid derivatives as fluorescent brighteners
J.-K. LEE, S.-I. UM, Y. KANG & D.-J. BAEK (South Korea)

31 Synthesis and photoluminescent properties of some novel fluorene derivatives
L. FENG, C. ZHANG, H. BIE & Z. CHEN (PR China)

35 Studies on the synthesis of 4,4′-diaminodiphenylurea and direct dyes derived therefrom
Y. LI, W. LI, Y. ZHANG & D. LIU (PR China)

39 Studies on decolouration, toxicity and the possibility for recycling of acid dye effluents using ozone treatment
M. MUTHUKUMAR, D. SARGUNAMANI, M. SENTHILKUMAR & N. SELVAKUMAR (India)

45 Red electroluminescent azomethine dyes derived from diaminomaleonitrile
S.-H. KIM, S.-H. YOON, S.-H. KIM & E.-M. HAN (South Korea)

49 Cyanide-sensitive fluorescent probes
R. BADUGU, J.R. LAKOWICZ & C.D. GEDDES (USA)

57 Removal of vat and disperse dyes from residual pad liquors
V. GOLOB & A. OJSTRŠEK (Slovenia)

63 Synthesis of novel cationic amphiphilic phthalocyanine derivatives for next generation photosensitizer using photodynamic therapy of cancer
K. SAKAMOTO, T. KATO, E. OHNO-OKUMURA, M. WATANABE (Japan) & M.J. COOK (UK)

73 Affinity of disperse dyes on poly(ethylene terephthalate) in non-aqueous media: part 1. Adsorption and solubility properties
T.-K. KIM, Y.-A. SON & Y.-J. LIM (South Korea)

79 Nature of electron transitions in polymethine dyes—derivatives of indeno[2,1-*b*]chromene
D.G. KROTKO, K.V. FEDOTOV, A.D. KACHKOVSKI & A.I. TOLMACHEV (Ukraine)

85 Effect of reactive anionic agent on dyeing of cellulosic fibers with a Berberine colorant—part 2: anionic agent treatment and antimicrobial activity of a Berberine dyeing
T.-K. KIM & Y.-A. SON (South Korea)

Short communication

91 One step synthesis of dibenzoxanthenes
R.J. SARMA & J.B. BARUAH (India)

Number 2

93 The synthesis and properties of triazine-stilbene fluorescent brighteners containing the phenolic antioxidant
S.-I. UM, J.-K. LEE, Y. KANG & D.-J. BAEK (South Korea)

101 Ozonation of aqueous Bomaplex Red CR-L dye in a semi-batch reactor
E. OGUZ, B. KESKINLER & Z. ÇELIK (Turkey)

109 The efficiency of the generation of photochemically active triplet states in oils containing various amounts of natural pigments
H. PIEŃKOWSKA, A. DUDKOWIAK, D. MUSZYŃSKI & D. FRĄCKOWIAK (Poland)

117 The excited-states quenching of resazurin and resorufin by *p*-benzoquinones in polar solvents
H.A. MONTEJANO, M. GERVALDO & S.G. BERTOLOTTI (Argentina)

0143-7208/04/$ - see front matter © 2004 Elsevier Ltd. All rights reserved.

125 Synthesis of novel squaraine dyes and their intermediates
A.L. TATARETS, I.A. FEDYUNYAEVA (Ukraine), E. TERPETSCHNIG (USA) & L.D. PATSENKER (Ukraine)

135 Degradation of *C.I. Reactive Orange 4* and its simulated dyebath wastewater by heterogeneous photocatalysis
M.S.T. GONÇALVES, E.M.S. PINTO, P. NKEONYE & A.M.F. OLIVEIRA-CAMPOS (Portugal)

141 A study on the synthesis and photophysical performances of some pyrazole and triazole fluorescent brightening agents
X. WANG, W. LI, X.-H. ZHANG, D.-Z. LIU & X.-Q. ZHOU (PR China)

147 Wastewater treatment after reactive printing
S. ŠOSTAR-TURK, M. SIMONIČ & I. PETRINIĆ (Slovenia)

153 New pH indicator based on 1,3-bisdicyanovinylindane
Y.-A. SON & S.-H. KIM (South Korea)

157 Antimicrobial activity of wool fabric treated with curcumin
S. HAN & Y. YANG (USA)

163 Synthesis and evaluation of a series of trisazo hetero bi-functional reactive dyes for cotton
J. MOKHTARI, D.A.S. PHILLIPS & J.A. TAYLOR (UK)

171 The study of the solubility of naphthalene diimides with various bulky flanking substituents in different solvents by UV–vis spectroscopy
Ş. ERTEN (Turkey), Y. POSOKHOV (Turkey & Ukraine), S. ALP & S. İÇLI (Turkey)

179 Synthesis and fluorescence properties of novel co-facial folded naphthalimide dimers
J. REN, X.-L. ZHAO, Q.-C. WANG, C.-F. KU, D.-H. QU, C.-P. CHANG & H. TIAN (China)

Number 3

187 Utilization of powdered peanut hull as biosorbent for removal of anionic dyes from aqueous solution
R. GONG, Y. DING, M. LI, C. YANG, H. LIU & Y. SUN (PR China)

193 New fluoride fluorescent chemosensors based on perylene derivatives linked by urea
J. REN, X.-L. ZHAO, Q.-C. WANG, C.-F. KU, D.-H. QU, C.-P. CHANG & H. TIAN (China)

201 A spectroscopic study of photobleaching of Chlorin p6 in different environments
K. DAS, A. DUBE & P.K. GUPTA (India)

207 Electronic properties of polymethine systems 7: soliton symmetry breaking and spectral features of dyes with a long polymethine chain
O.D. KACHKOVSKI, O.I. TOLMACHOV, YU.L. SLOMINSKII, M.O. KUDINOVA, N.O. DEREVYANKO & O.O. ZHUKOVA (Ukraine)

217 Decolorization and detoxification of textile wastewater by ozonation and coagulation processes
H. SELCUK (Turkey)

223 Synthesis of some new azo pyrazolo[1,5-*a*]pyrimidine-thieno[2,3-*b*]pyridine derivatives and their application as disperse dyes
Y. W. HO (Taiwan ROC)

231 An adsorption and kinetic study of lac dyeing on silk
M. CHAIRAT, S. RATTANAPHANI (Thailand), J.B. BREMNER (Australia) & V. RATTANAPHANI (Thailand)

243 Synthesis of some novel hetarylazo disperse dyes derived from 4-hydroxy-2H-1-benzopyran-2-one (4-hydroxycoumarin) as coupling component and investigation of their absorption spectra
F. KARCI & N. ERTAN (Turkey)

251 Selective extraction and separation of textile anionic dyes from aqueous solution by tetrabutyl ammonium bromide
G. MUTHURAMAN & K. PALANIVELU (India)

259 Synthesis and solvatochromic properties of some disazo dyes derived from pyrazolo[1,5-*a*]pyrimidine derivatives
P.C. TSAI & I.J. WANG (Taiwan)

265 The photoluminescence of coumarin derivative encapsulated in MCM-41 and Ti-MCM-41
W. ZHAO, D. LI, B. HE, J. ZHANG, J. HUANG & L. ZHANG (PR China)

271 The investigation of crystal structure, spectroscopic and thermal properties of *p*-(*p*-acetylphenylazo)-*o*-allylphenol and *p*-(*p*-bromphenylazo)-*o*-allylphenol
M. ODABAŞOĞLU, G. TURGUT, N. KARADAYI, & O. BÜYÜKGÜNGÖR (Turkey)

Short communication

279 Electrochromic properties of new fluorophores containing triphenylamine moiety
S.-H. KIM (South Korea), J.-H. RYU (JAPAN), H.-J. CHOI & H.-S. KIM (South Korea)